

2004 Performance Report for Utah Commercial HMOs and Medicaid & CHIP Health Plans

Performance Measures (HEDIS) & Consumer Satisfaction Survey Results (CAHPS)

Utah Department of Health Utah Health Data Committee and the Division of Health Care Financing December 2004





About This Report

The Utah Health Data Committee presents the 8th annual Performance Report for Utah health maintenance organizations (HMOs). This report contains information on five commercial HMOs, two Medicaid HMOs and two additional Medicaid health plans (IHC Preferred Provider Network and the fee for service plan). For the first time, the report also includes information on Utah's two Children's Health Insurance Program (CHIP) HMOs.

Data in this report come from two sources. The first source of data is the Health Plan Employer Data and Information Set (**HEDIS**®) collected for measurement year 2003. Only Utah's HMOs collect and report HEDIS measures. The second source of data is the 2004 Consumer Assessment of Health Plans Survey (**CAHPS**®). Survey results are presented for seven Utah HMOs as well as the Medicaid fee-for-service and preferred provider network (PPN) plans.

The first goal of this report is to give consumers and those who purchase health care the information they need to select a health plan. A second goal of this report is to provide information to health plans to assist them in improving their service and care. This report is a collaborative effort among the Utah Department of Health (Division of Health Care Financing, Division of Community and Family Health Services, the Utah Health Data Committee) and representatives of the seven HMOs. The health plans that submitted data for this report cover approximately 42% of Utah's insured population.

| Commercial | Medicaid | CHIP |
|--|---|--|
| Altius Health Plans (Altius) CIGNA HealthCare of Utah (Cigna) IHC Health Plans (IHC) Regence HealthWise (Regence HW) UnitedHealthcare (United) | Healthy U IHC Preferred Provider Network Molina Health Care of Utah | Molina Health Care of Utah Public Employee Health Program (PEHP) |

This report is divided into three sections. The first section describes **quality of care** (HEDIS) measures for commercial HMOs, Medicaid health plans and CHIP HMOs. Examples of these measures are well-child care for infants and children, preventive care for adults, and care for people with diabetes. The second section describes the results of a survey (CAHPS) that measured people's **satisfaction with the care** they received from their health plan. People who answered the survey rated how they felt about the care and treatment they received from their doctor, how well their health plan provided customer service, and whether they had any problems receiving the health care they felt they needed. The last section of this report includes **information about the people** who took part in the satisfaction survey and lists the **survey questions** that were used to measure satisfaction.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).

Key Findings

Commercial Health Plans

- The percentage of children who have received all immunizations has risen steadily since 2001. Averaged weighted across HMOs show that nearly 75% of children enrolled in commercial HMOs have records showing all required immunizations.
- Wieghted averages for Diabetes Care measures also show consistent increases over time. Fewer than 25% of patients are in poor control of their blood sugar level (HbA1C) and 90% have had a cholesterol screening test within the last two years.

Medicaid Health Plans

- The percentage of pregnant women who have received 80% or more of their recommended prenatal visits has increased nearly 50% since 2000.
- Medicaid HMOs have shown large improvements in the percentage of adolescents who are fully immunized, although rates still lag behind national benchmarks.
- Rates for children who have received 5 or more well-child visits have dropped slightly in the last year.
 This trend warrants close monitoring in the coming year.

CHIP Health Plans

- ✓ CHIP health plans compare favorably to Medicaid plans on measures regarding children's access to primary care practitioners.
- Areas that need improvement include measures of well-child visits and childhood immunizations. These rates should improve as CHIP plans develop better data collection tools.
- ✓ Both CHIP plans are well above national benchmarks in nearly all consumer satisfaction measures.

Table of Contents

| About This Report | 2 | Consumer Satisfaction Measures | 19 |
|--|----|--------------------------------------|----|
| Key Findings | 3 | Medicaid Health Plans | 20 |
| About Utah Health Plans | 4 | Commercial HMOs | 22 |
| Performance Measures | 5 | CHIP Health Plans | 24 |
| Madiasid 9 CHID Haalib Dlags | 6 | Children with Chronic Conditions | 25 |
| Medicaid & CHIP Health Plans Commercial HMOs | 12 | About the People Surveyed | 27 |
| Commercial Filvios | 12 | Survey Questions Used for Composites | 29 |
| | | Acknowledgements | 31 |

About Utah Health Plans

About Utah Medicaid and CHIP Plans

| | Healthy U | IHC Preferred Provider Network | Molina Healthcare of Utah | Molina CHIP | PEHP CHIP |
|---------------------------------------|---|-------------------------------------|---|--|--------------|
| Counties served by the plan | Davis Salt Lake Summit Tooele Utah Weber | Davis Salt Lake Utah Weber | All Counties Except Daggett Grand Juab Piute San Juan Uintah | All Counties Except Daggett Grand Juab Piute San Juan Uintah | All Counties |
| Monthly enrollment as of January 2004 | 23,557 | 45,390 | 40,051 | 7,260 | 23,118 |
| Board Certified Providers: | | | | | |
| Primary Care | NR | NA | 92% | 92% | NA |
| Obstetricians/Gynecologists | NR | NA | 90% | 90% | NA |
| Pediatricians | NR | NA | 100% | 100% | NA |
| Other Specialists | NR | NA | 92% | 92% | NA |

About Utah Commercial HMOs

| | Altius Health Plans | CIGNA HealthCare of Utah | IHC Health Plans | Regence HealthWise | United Healthcare |
|---------------------------------------|--|---|---|---|---|
| Counties served by the plan | Beaver Box Elder Cache/Carbon Davis Garfield Iron/Juab Kane/Morgan Salt Lake San Juan Sanpete Summit Tooele Uintah Utah Wasatch Washington Weber | Box Elder Davis Emery Juab Millard Morgan Salt Lake Sanpete Sevier Summit Tooele Utah Wasatch Weber | IHC Care: All Counties Except Grand San Juan IHC SelectMed: All Counties Except Carbon Daggett Emery Grand Kane/Rich San Juan Uintah Washington | Davis Salt Lake Summit Tooele Utah Wasatch | Beaver Box Elder Cache/Carbon Davis Iron/Juab Morgan Millard Salt Lake San Juan Sanpete/Sevier Summit Tooele Uintah Utah Wasatch Washington Weber |
| Monthly enrollment as of January 2004 | 178,748 | 5,920 | 452,053 | 28,652 | 31,353 |
| Board Certified Providers: | | | | | |
| Primary Care | 83% | 82% | 90% | 82% | 85% |
| Obstetricians/Gynecologists | 88% | 78% | 91% | 80% | 87% |
| Pediatricians | 94% | 67% | 92% | 100% | 69% |
| Other Specialists | 84% | 79% | 90% | 80% | 83% |

Performance Measures

HEDIS Measures

This section of the report contains performance data from the Health Employer Data Information System (HEDIS), which is developed and maintained by the National Committee for Quality Assurance (NCQA). Each year, Health Maintenance Organizations (HMOs) nationwide collect HEDIS measures to see how they performed in different areas of health care over the past year. The 2004 HEDIS measurement set contains 60 measures across eight different major areas of care. The areas covered by HEDIS include childhood immunizations, cancer screening, care for people with diabetes, and well-visits for both adults and children. The HEDIS measures included in this report are a core sub-set of the full HEDIS dataset and are reported by Utah HMOs to the Utah Department of Health each year. Measures in the 2004 report are based on information from patient visits in 2003. The data collected by each HMO undergo an audit by an NCQA-certified auditor to ensure that the reported HEDIS measures are representative and accurate.

The National Committee for Quality Assurance (NCQA) is a non-profit organization committed to assessing, reporting on and improving the quality of care provided by the nation's health plans. To find out more, visit their website at www.ncqa.org

Data Collection

For some HEDIS measures, HMOs can choose one of two ways to collect their data. If an HMO uses the administrative method, a staff member uses the HMO's claims database to identify cases and compute the HEDIS measures. If an HMO uses the hybrid method, a staff member first identifies the cases using the claims database, then a nurse does reviews of medical charts to find additional information about the HEDIS measures. In the tables that follow, measures collected using the administrative method are labeled "Administrative" and measures collected using the hybrid method are labeled "Admin+Chart Review". Although the hybrid method takes longer and costs more, the reported values for HEDIS measures are usually more accurate than when HMOs use the administrative method. Therefore, differences in HMOs may be because the HMOs differ in quality, OR because the HMOs collected data using different methods. Whenever possible, you should only compare the performance of HMOs that used the same data collection method for a given variable.

Missing Data

For some variables, there is a "Not Reported" or a "Not Applicable" designation instead of a statistical rate. "Not Reported" means that the HMO chose not to report a rate for that measure. This could be because there were significant problems with the data, or because the data for that measure were not audited. A "Not Applicable" rate means that the sample size for that measure was too small (less than 30) to calculate a valid rate. All "Not Reported" and "Not Applicable" designations are governed by NCQA reporting rules, and do not reflect the overall quality of care.

Statistical Ratings *

Each HEDIS measure collected by commercial HMOs is compared to the commercial state average for that measure. Each measure was then given a **statistical rating** depending on whether that HMO's performance was above, the same, or below the state average. The 95% confidence interval was used to determine statistically significant differences between an HMO's score and the state average. Three stars indicate that an HMO's performance on a particular measure is significantly above the state average, while one star means that an HMO's performance is significantly below the state average. Two stars indicate that an HMO's performance on a particular measure is not significantly different from the state average for that measure.

- *** Higher HMO score is significantly above the average for Utah commercial HMOs
- ** Average HMO score is neither higher nor lower than the the average for Utah commercial HMOs
- ★ Lower HMO score is significantly below the average for Utah commercial HMOs

^{*} Statistical ratings were not computed for Medicaid or CHIP Health Plans since only two plans in each program reported HEDIS measures in 2004

Child and Adolescent Health Care

Performance Measures *Medicaid and CHIP Health Plans*

Data Collection HMO Method Rate

Children's Access to Primary Care Practitioners: 12 to 24 Months Old

% children who had a visit with a primary care practitioner in 2003

| National Average: 91.1% | | |
|-------------------------|----------------|-------|
| Molina | Administrative | 98.0% |
| Healthy U | Administrative | 96.9% |

Children's Access to Primary Care Practitioners: 25 months to 6 Years Old

% children who had a visit with a primary care practitioner in 2003

| Administrative | 89.0% |
|----------------|-------|
| Administrative | 84.4% |
| | |

Children's Access to Primary Care Practitioners: 7 to 11 Years Old

% children who had a visit with a primary care practitioner in 2003

| National Average: 80.3% | | |
|-------------------------|----------------|-------|
| Molina | Administrative | 85.4% |
| Healthy U | Administrative | 69.4% |

Children's Access to Primary Care Practitioners: 12 to 19 Years Old

% children who had a visit with a primary care practitioner in 2003

| National Average: NA | | | | |
|--|----------------|-------|--|--|
| Molina | Administrative | 82.2% | | |
| Healthy U | Administrative | 72.6% | | |
| 78 Children who had a visit with a primary care practitioner in 2005 | | | | |

Star ratings and state averages were not computed for Medicaid or CHIP Health Plans since only two plans in each program submit HEDIS data to the State. Performance measures should be compared to the national average.

| | | CH | |
|--|--|----|--|
| | | | |

| | Data Collection | |
|-----|-----------------|------|
| НМО | Method | Rate |

Children's Access to Primary Care Practitioners: 12 to 24 Months Old

% children who had a visit with a primary care practitioner in 2003

| PEHP Admin | istrative | 96.3% |
|------------|-----------|-------|

National Average: NA

Children's Access to Primary Care Practitioners: 25 months to 6 Years Old

% children who had a visit with a primary care practitioner in 2003

| National Average: NA | | |
|----------------------|----------------|-------|
| PEHP | Administrative | 83.8% |
| Molina | Administrative | 81.8% |

Children's Access to Primary Care Practitioners: 7 to 11 Years Old

% children who had a visit with a primary care practitioner in 2003

| National Average: NA | | |
|----------------------|----------------|-------|
| PEHP | Administrative | 83.4% |
| Molina | Administrative | 88.8% |
| | | |

Child and Adolescent Health Care

Performance Measures Medicaid and CHIP Health Plans

Data Collection
HMO Method Rate

Well-Child Visits in the First 15 Months of Life

% of children who had five or more well-child visits with a primary care practitioner in 2003

Healthy U Admin+Chart Review 70.6%

Molina Admin+Chart Review 79.8%

National Average: 61.9%

Well-Child Visits in the 3rd through 6th Year of Life

% of children who had one or more well-child visits with a primary care practitioner in 2003

| Molina | Admin+Chart Review | 60.1% |
|-----------|----------------------------------|----------------------|
| Healthy U | Admin+Chart Review | 60.1% |
| 70 0. 0 | o mon omna mono man a pinnary oa | o practitioner in zo |

National Average: 58.2%

Adolescent Well-Care Visits:

12 to 21 Years Old

% of adolescents who had at least one well-child visit with a primary care practitioner in 2003

| Review 41.2% |
|--------------|
| Review 29.7% |
| |

Adolescent Immunizations Combo 1: MMR & Hep B

% of children who had all immunizations completed by their 13th birthday

| Healthy U | Administrative | 8.1% |
|-----------|--------------------|-------|
| Molina | Admin+Chart Review | 22.5% |
| | | |

National Average: 42.8%

CHIP

Data Collection

HMO Method Rate

Well-Child Visits in the First 15 Months of Life

% of children who had five or more well-child visits with a primary care practitioner in 2003

Molina Administrative 63.0%

PEHP Administrative 37.9%

National Average: NA

Well-Child Visits in the 3rd through 6th Year of Life

% of children who had one or more well-child visits with a primary care practitioner in 2003

| Molina | Administrative | 41.9% |
|----------------------|----------------|-------|
| PEHP | Administrative | 36.3% |
| National Average: NA | | |

Adolescent Well-Care Visits:

12 through 21 Years Old

| % of adolescents who had at least of | one well-child visit with a pi | imary care practitioner in 2003 |
|--------------------------------------|--------------------------------|---------------------------------|
| Molina | Administrative | 18.2% |
| PEHP | Administrative | 14.5% |

National Average: NA

Statistical rates for each plan on page 7 were calculated by dividing the number of children in each age group who saw a primary care practitioner by the total number of eligible children in that age group.

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.

 REMEMBER: Differences between plans may be caused by differences in performance OR by differences in data collection.

Prenatal/Postpartum Care & Childbirth

Performance Measures Medicaid Health Plans

Data Collection HMO Method Rate

Timeliness of Prenatal Care

% of pregnant women who had a prenatal care visit in the first trimester or within 42 days of enrollment in the plan

| Healthy U | Admin+Chart Review | 86.8% |
|-----------|--------------------|-------|
| Molina | Admin+Chart Review | 94.8% |

National Average: 70.4%

Frequency of Ongoing Prenatal Care, <21% (Lower rate is better)

% pregnant women who received less than 21% of expected number of prenatal care visits

| National Average: 27.6% | | |
|-------------------------|--------------------|------|
| Molina | Admin+Chart Review | 3.4% |
| Healthy U | Admin+Chart Review | 5.0% |
| , 0 | | |

Frequency of Ongoing Prenatal Care, 21% to 40%

% pregnant women who received 21% to 40% of expected number of prenatal care visits

Healthy U Admin+Chart Review 1.0%

Molina Admin+Chart Review 2.0%

National Average: 7.9%

Frequency of Ongoing Prenatal Care, 41% to 60%

% pregnant women who received 41% to 60% of expected number of prenatal care visits

Healthy U Admin+Chart Review 3.9%

Molina Admin+Chart Review 6.1%

National Average: 9.4%

Frequency of Ongoing Prenatal Care, 61% to 80%

% pregnant women who received 61% to 80% of expected number of prenatal care visits

| National Average: 13.8% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 16.8% |
| Healthy U | Admin+Chart Review | 5.9% |
| | | |

Frequency of Ongoing Prenatal Care, 81+ %

% pregnant women who received greater than 81% of expected number of prenatal care visits

| Healthy U | Admin+Chart Review | 84.3% |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 71.8% |
| National Average: 41.0% | | |

* A Cesarean delivery can be lifesaving for mother and/or baby when performed for appropriate medical reasons. However, C-sections result in longer hospital stays, recovery times, and higher costs. This procedure should not be used solely for the convenience of doctor or patient. High C-section rates may indicate unnecessary procedures are being performed and should prompt further investigation.

| | Data Collection | |
|-----|-----------------|------|
| НМО | Method | Rate |

Cesarean Sections (Lower rate is generally better*)

% of women who delivered a live birth by C-section

Healthy U Administrative 19.8%

Molina Administrative 19.7%

National Average: 23.0%

Vaginal Birth After Cesarean Section

% of women who delivered a live birth vaginally after having a previous C-section

| Healthy U | Administrative | 13.5% |
|-------------------------|----------------|-------|
| Molina | Administrative | 19.4% |
| National Average: 28.2% | | |

Postpartum Care

% of new mothers who received a checkup between 21 & 56 days after delivery

| National Average: 52.1% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 72.9% |
| Healthy U | Admin+Chart Review | 41.7% |
| | | |

Note: Approximately 42% of Utah's insured population is covered by one of the

Childhood Immunization Status

Performance Measures *Medicaid and CHIP Health Plans*

| | Data Collection | |
|-----|------------------------|------|
| НМО | Method | Rate |

DTaP/DT (diphtheria-tetanus-pertussis or diphtheria-tetanus)

% of children who had four DTaP/DT vaccinations

| National Average: 69.4% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 72.4% |
| Healthy U | Admin+Chart Review | 85.4% |

IPV (poliomyelitis)

% of children who had three IVP vaccinations

| National Average: 80.2% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 84.6% |
| Healthy U | Admin+Chart Review | 92.0% |

MMR (measles-mumps-rubella)

% of children who had one MMR vaccination

| National Average: 84 4% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 87.5% |
| Healthy U | Admin+Chart Review | 93.7% |

HiB (haemophilus influenza type B)

% of children who had a minimum of three HiB vaccinations

| National Average: 73.8% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 78.1% |
| Healthy U | Admin+Chart Review | 90.5% |

Rates show the percentage of children who turned 2 years old in 2003 and who had the required immunization(s) before their second birthday.

| НМО | Data Collection Method | Rate |
|---|--|-------|
| Hepatitis B | ree hepatitis B vaccinations | |
| Healthy U | Admin+Chart Review | 90.0% |
| Molina | Admin+Chart Review | 79.5% |
| National Average: 7 | '6.2 % | |
| VZV (chicken pox) % of children who had at least one VZV vaccination | | |
| Healthy U Molina | Admin+Chart Review Admin+Chart Review | 89.1% |
| | | 82.1% |
| National Average: 76.4% Combo 1: DTaP/DT, IPV, MMR, HiB, Hep B % of children who had all required vaccinations | | |
| Healthy U | Admin+Chart Review | 78.8% |
| Molina | Admin+Chart Review | 62.1% |
| National Average: 57.7% | | |
| | | |
| | CHIP | |

| - | REMEMBER: Differences between plans may be caused by differences |
|---|--|
| | in performance OR by differences in data collection. |

Administrative

Administrative

Combo 1: DTaP/DT, IPV, MMR, HiB, Hep B % of children who had all required vaccinations

Molina

PEHP

National Average: NA

1.0%

13.0%

| | Data Collection | |
|-----|-----------------|------|
| НМО | Method | Rate |

Breast Cancer Screening

% of women aged 50 to 69 who had a mammogram within the past two years

| National Average: 56.0% | | |
|-------------------------|-------|--|
| Admin+Chart Review | 66.0% | |
| Admin+Chart Review | 49.0% | |
| | | |

Cervical Cancer Screening

% of women 18 to 64 who had one or more Pap tests within the past three years

| Nati | onal Average: 6 | 2.2% | |
|------|-----------------|--------------------|-------|
| Moli | na | Admin+Chart Review | 66.4% |
| Hea | thy U | Admin+Chart Review | 57.9% |
| | | | |

Chlamydia Screening in Women

% of sexually active women aged 16 to 20 who had at least one test for chlamydia in 2003

Chlamydia Screening in Women

% of sexually active women aged 21 to 25 who had at least one test for chlamydia in 2003

| Healthy U | Administrative | 25.4% |
|-----------|----------------|-------|
| Molina | Administrative | 37.9% |

National Average: 41.5%

| | Data Collection | |
|-----|-----------------|------|
| НМО | Method | Rate |

Adults' Access to Preventive Care: 20 to 44 Years

% adults who had at least one ambulatory or preventive care visit within the past three years

| National Average: 75.8% | | |
|-------------------------|----------------|-------|
| Molina | Administrative | 82.9% |
| Healthy U | Administrative | 81.4% |

Adults' Access to Preventive Care: 45 to 64 Years

% adults who had at least one ambulatory or preventive care visit within the past three years

| Healthy U | Administrative | 86.8% |
|-------------------------|----------------|-------|
| Molina | Administrative | 87.7% |
| National Average: 82.0% | | |

Adults' Access to Preventive Care: 65 and older

% adults who had at least one ambulatory or preventive care visit within the past three years

| Healthy U | Administrative | 87.3% |
|-------------------------|----------------|-------|
| Molina | Administrative | 87.6% |
| National Average: 79.0% | | |

Performance Measures Medicaid Health Plans

| | Data Collection | |
|-----|-----------------|------|
| HMO | Method | Rate |

Hemoglobin A1c Testing (test of blood sugar level)

% who had one or more HbA1c tests in 2003

| National Average: 73 0% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 84.5% |
| Healthy U | Admin+Chart Review | 80.8% |

HbA1c Poorly Controlled (Lower rate is better)

% who had HbA1c level > 9.5% at their most recent test within the past year

| National Average: 48.9% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 40.0% |
| Healthy U | Admin+Chart Review | 37.7% |

Eve Exam

% who had a retinal exam by an eye care professional within the past year

| National Average: 46 8% | | |
|-------------------------|--------------------|-------|
| Molina | Admin+Chart Review | 50.0% |
| Healthy U | Admin+Chart Review | 43.8% |

Measures on page 11 were collected for people in each plan between the ages of 18 and 75 and who have diabetes.

Percentages were calculated by dividing the number of people who received the test by the total number of people with diabetes.

| LDL-C Screening (cholesterol) % who had an LDL-C screening test performed within the past two years Healthy U Admin+Chart Review 75.4% Molina Admin+Chart Review 81.6% National Average: 70.8% LDL-C Level less than 130mg/dL % who had LDL level less than 130 mg/dL Healthy U Admin+Chart Review 53.5% Molina Admin+Chart Review 53.4% National Average: 43.3% LDL-C Level less than 100mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 35.8% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% National Average: 48.2% | НМО | Data Collection Method | Rate | |
|---|-------------------------|---------------------------|-------|--|
| Molina Admin+Chart Review 81.6% National Average: 70.8% LDL-C Level less than 130mg/dL % who had LDL level less than 130 mg/dL Healthy U Admin+Chart Review 53.5% Molina Admin+Chart Review 53.4% National Average: 43.3% LDL-C Level less than 100mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | | | | |
| National Average: 70.8% LDL-C Level less than 130mg/dL % who had LDL level less than 130 mg/dL Healthy U Admin+Chart Review 53.5% Molina Admin+Chart Review 53.4% National Average: 43.3% LDL-C Level less than 100mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% | Healthy U | Admin+Chart Review | 75.4% | |
| LDL-C Level less than 130mg/dL % who had LDL level less than 130 mg/dL Healthy U Admin+Chart Review 53.5% Molina Admin+Chart Review 53.4% National Average: 43.3% LDL-C Level less than 100mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | Molina | Admin+Chart Review | 81.6% | |
| % who had LDL level less than 130 mg/dL Healthy U Admin+Chart Review 53.5% Molina Admin+Chart Review 53.4% National Average: 43.3% LDL-C Level less than 100 mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | National Average: 70.8% | | | |
| Molina Admin+Chart Review 53.4% National Average: 43.3% LDL-C Level less than 100mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | | <u> </u> | | |
| National Average: 43.3% LDL-C Level less than 100 mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | Healthy U | Admin+Chart Review | 53.5% | |
| LDL-C Level less than 100mg/dL % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | Molina | Admin+Chart Review | 53.4% | |
| % who had LDL level less than 100 mg/dL Healthy U Admin+Chart Review 35.8% Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | National Average: 43.3% | | | |
| Molina Admin+Chart Review 32.5% National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | | | | |
| National Average: NA Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | Healthy U | Admin+Chart Review | 35.8% | |
| Monitoring for Diabetic Nephropathy % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | Molina | Admin+Chart Review | 32.5% | |
| % who had kidney disease (nephropathy) monitored Healthy U Admin+Chart Review 51.3% Molina Admin+Chart Review 39.8% | National Average: NA | | | |
| Molina Admin+Chart Review 39.8% | | | | |
| Admini Chart Neview 00.070 | Healthy U | Admin+Chart Review | 51.3% | |
| National Average: 48.2% | Molina | Admin+Chart Review | 39.8% | |
| | National Average: 48.2% | | | |

 REMEMBER: Differences between plans may be caused by differences in performance OR by differences in data collection.

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.

Children's Access to **Primary Care Practitioners**

Performance Measures

Commercial HMOs

| Data Collection | | | Statistical | |
|-----------------|--------|------|-------------|--|
| НМО | Method | Rate | Rating | |
| | | | | |

Children 12 to 24 Months Old

| % of children who had a visit with a primary care practitioner in 2003 | | | | |
|--|----------------|--------|-----|--|
| Altius | Administrative | 97.1% | ** | |
| Cigna | Administrative | 100.0% | *** | |
| IHC Health Plans | Administrative | 97.4% | ** | |
| Regence HW | Administrative | 93.4% | * | |
| United | Administrative | 97.9% | *** | |
| National Average: 95.7% State Average: 97.2% | | | | |

Children 25 Months to 6 Years Old

% of children who had a visit with a primary care practitioner in 2003

| National Average: 87. | | rage: 84.0% | |
|-----------------------|----------------|-------------|-----|
| United | Administrative | 87.9% | *** |
| Regence HW | Administrative | 80.9% | * |
| IHC Health Plans | Administrative | 82.7% | * |
| Cigna | Administrative | 84.0% | ** |
| Altius | Administrative | 84.4% | *** |

Children 7 to 11 Years Old

% of children who had a visit with a primary care practitioner in 2003

| National Average: 87. | .4% State Ave | rage: 79.9% | |
|-----------------------|----------------|-------------|-----|
| United | Administrative | 80.1% | ** |
| Regence HW | Administrative | 79.5% | * |
| IHC Health Plans | Administrative | 77.1% | * |
| Cigna | Administrative | 80.8% | *** |
| Altius | Administrative | 82.2% | *** |

Children 12 to 19 Years Old

% of children who had a visit with a primary care practitioner in 2003

| National Average: 87. | .4% State Aver | age: 76.9% | |
|-----------------------|----------------|------------|-----|
| United | Administrative | 76.9% | ** |
| Regence HW | Administrative | 74.2% | * |
| IHC Health Plans | Administrative | 76.2% | * |
| Cigna | Administrative | 76.3% | * |
| Altius | Administrative | 80.2% | *** |

Appropriate Treatment for Children with Upper Respiratory Infection

% children 3 mo. to 18 years who were diagnosed with a URI and were not dispensed antibiotic for three or more days after the diagnosis


| National Average: 80.8% State Average: 87.0% | | | |
|--|----------------|---------|-----|
| United | Administrative | 85.3% | * |
| Regence HW | Not Re | eported | |
| IHC Health Plans | Administrative | 86.4% | * |
| Cigna | Administrative | 89.3% | *** |
| Altius | Administrative | 86.9% | ** |

Appropriate Testing for Children with Pharyngitis


% children 2-18 who were diagnosed with pharyngitis, prescribed antibiotics and received a group A streptococcus test

| National Average: | 70.7% State A | verage: 81.3% | |
|-------------------|----------------|---------------|-----|
| United | Administrative | 84.4% | *** |
| Regence HW | Not | Reported | |
| IHC Health Plans | Administrative | 80.1% | * |
| Cigna | Administrative | 79.6% | * |
| Altius | Administrative | 81.0% | ** |


Children 25 Months to 6 Years Old



Children 7 to 11 Years Old



Appropriate Treatment for Children with Upper Respiratory Infection



Measures that examine appropriate treatment and testing are new in 2004. These measures are designed to show whether enrolled children received appropriate care during an illness.

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.

Child and Adolescent Well-Care

| | Data Collection | | Statistical |
|-----|-----------------|------|-------------|
| HMO | Method | Rate | Rating |

Well-Child Visits in the First 15 Months of Life

% of children who had five or more well-child visits with a primary care practitioner in 2003

| Altius | Admin+Chart Review | | 85.1% | *** |
|-------------------------|--------------------|-----------|-------------|-----|
| Cigna | Administrative | | 80.6% | ** |
| IHC Health Plans | Admin+Chart Review | | 88.1% | *** |
| Regence HW | Administrative | | 70.0% | * |
| United | Administrative | | 79.7% | ** |
| National Average: 80.8% | | State Ave | rage: 81.2% | |

Well-Child Visits in the 3rd/4th/5th & 6th Year of Life

% of children who had one or more well-child visits with a primary care practitioner in 2003

| National Average: | 60 49/ | State Ave | rage: 48.7% | |
|-------------------|--------------------|-------------|-------------|-----|
| United | Administrative | | 49.1% | ** |
| Regence HW | Administrative | | 44.0% | * |
| IHC Health Plans | Admin+C | hart Review | 48.4% | ** |
| Cigna | Administrative | | 44.1% | * |
| Altius | Admin+Chart Review | | 57.9% | *** |

Adolescent Well-Care Visits: 12 through 21 Years Old


% of adolescents who had at least one well-child visit with a primary care practitioner in 2003

| ,, | | | |
|------------------|--------------------|-------|-----|
| Altius | Admin+Chart Review | 32.1% | *** |
| Cigna | Administrative | 13.1% | * |
| IHC Health Plans | Admin+Chart Review | 20.2% | ** |
| Regence HW | Administrative | 14.0% | * |
| United | Administrative | 19.4% | ** |
| National Average | | | |


Adolescent Immunizations Combo 1: MMR & Hep B

| | ad all immunizations complet | | |
|------------------|------------------------------|----------------|-----|
| Altius | Admin+Chart Review | 8.9% | * |
| Cigna | No | t Reported | |
| IHC Health Plans | Admin+Chart Review | 18.0% | *** |
| Regence HW | Administrative | 3.0% | * |
| United | Admin+Chart Review | 18.2% | *** |
| National Average | : 50.1% State / | Average: 12.1% | |


Well-Child Visits in the First 15 Months of Life



Well-Child Visits in the 3rd/4th/5th/& 6th Year of Life



Adolescent Well-Care Visits: 12 to 21 Years Old



REMEMBER: Differences between HMOs may be caused by differences in performance OR by differences in data collection.



Higher

Lower

HMO score is significantly above the average for Utah commercial HMOs Average HMO score is neither higher nor lower than the Utah commercial HMO average HMO score is significantly below the average for Utah commercial HMOs

Prenatal/Postpartum Care & Childbirth

Performance Measures Commercial HMOs

| | Data Collection | | Statistical |
|-----|-----------------|------|-------------|
| НМО | Method | Rate | Rating |

Timeliness of Prenatal Care**

% of pregnant women who had a prenatal care visit in the first trimester or within 42 days of enrollment in the plan

| Altius | Admin+Chart Review | 94.0% | |
|----------------------|--------------------|----------|--|
| Cigna | Not Repo | rted | |
| IHC Health Plans | Admin+Chart Review | 95.4% | |
| Regence HW | Administrative | 13.6% | |
| United | Admin+Chart Review | 86.8% | |
| National Average: 86 | .7% State Ave | rage: NA | |

Cesarean Sections (Lower rate is generally better)

% of women who delivered a live birth by C-section

| Altius | Administrative | 20.6% | * |
|----------------------|----------------|-------------|-----|
| Cigna | Administrative | 17.8% | *** |
| IHC Health Plans | Administrative | 18.9% | ** |
| Regence HW | Administrative | 18.3% | ** |
| United | Administrative | 18.6% | ** |
| National Average: 27 | .5% State Aver | rage: 18.9% | |

Vaginal Birth After Cesarean Section

% of women who delivered a live birth vaginally after having a previous C-section

| Altius | Administrative | 21.0% | * |
|-------------------------|----------------|-------------|-----|
| Cigna | Not Ap | oplicable | |
| IHC Health Plans | Administrative | 22.3% | ** |
| Regence HW | Not A | pplicable | |
| United | Administrative | 28.5% | *** |
| National Average: 21.6% | State Ave | rage: 23.9% | |

Postpartum Care**


% of new mothers who received a checkup between 21 & 56 days after delivery

| | ' | , | , |
|-----------------------|--------------------|-----------|---|
| Altius | Admin+Chart Review | 80.8% | |
| Cigna | Not Repo | orted | |
| IHC Health Plans | Admin+Chart Review | 85.6% | |
| Regence HW | Administrative | 50.5% | |
| United | Admin+Chart Review | 76.4% | |
| National Average: 77. | 0% State Ave | erage: NA | |


* A Cesarean delivery can be lifesaving for mother and/or baby when performed for appropriate medical reasons. However, C-sections result in longer hospital stays, recovery times, and higher costs. This procedure should not be used solely for the convenience of doctor or patient. High C-section rates may indicate unnecessary procedures are being performed and should prompt further investigation.

 REMEMBER: Differences between HMOs may be caused by differences in performance OR by differences in data collection.


Cesarean Sections*



Vaginal Birth After Cesarean Section



Postpartum Care **




** Star ratings were not computed for Prenatal and Postpartum visits because of the high variability in the rates. Rates should be compared to the national average

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.


Childhood Immunizations

| НМО | Data Collection Method | Rate | Statistical Rating |
|---|---|--------------|-----------------------|
| | ia-tetanus-pertussis or our DTaP/DT vaccinations | diphtheria-t | etanus) |
| Altius | Admin+Chart Review | 85.7% | *** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 86.1% | *** |
| Regence HW | Administrative | 58.1% | * |
| United | Admin+Chart Review | 84.1% | *** |
| National Average: | 30.1% State Aver | age: 78.5% | |
| IPV (poliomyelitis) % of children who had t | hree IVP vaccinations | | |
| Altius | Admin+Chart Review | 89.7% | *** |
| Cigna | Not Rep | | |
| IHC Health Plans | Admin+Chart Review | 91.7% | *** |
| Regence HW | Administrative | 64.5% | * |
| United | Admin+Chart Review | 89.8% | *** |
| National Average: | 86.0% State Aver | rage: 83.9% | |
| MMR (measles-mu % of children who had o | | | |
| Altius | Admin+Chart Review | 92.4% | *** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 92.0% | *** |
| Regence HW | Administrative | 80.6% | * |
| United | Admin+Chart Review | 90.8% | *** |
| National Average: | 90.1% State Aver | age: 89.0% | |
| HiB (haemophilus % of children who had a r | influenza type B) minimum of three HiB vaccination | าร | |
| Altius | Admin+Chart Review | 86.6% | *** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 88.6% | *** |
| Regence HW | Administrative | 65.8% | * |
| United | Admin+Chart Review | 84.9% | *** |
| National Average: | 83.2% State Aver | age: 81.5% | |
| Hepatitis B % of children who had t | hree hepatitis B vaccinations | | |
| Altius | Admin+Chart Review | 88.4% | *** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 90.0% | *** |
| Regence HW | Administrative | 54.2% | * |
| United | Admin+Chart Review | 85.4% | *** |
| National Average: | State Ave | rage: 79.5% | |
| VZV (chicken pox) % of children who had at | least one VZV vaccination | | |
| Altius | Admin+Chart Review | 87.7% | *** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 84.7% | ** |
| Regence HW | Administrative | 74.2% | * |
| United | Admin+Chart Review | 84.6% | ** |
| National Average: | 32.0% State Aver | age: 82.8% | |
| Combo 1: DTaP/DT, % of children who had al | IPV, MMR, HiB, Hep B | | |
| Altius | Admin+Chart Review | 74.0% | *** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 80.0% | *** |
| Regence HW | Administrative | 43.9% | * |
| | | 70.00/ | |
| United | Admin+Chart Review | 73.3% | *** |


DTaP/DT Vaccinations




Hepatitis B



VZV Vaccinations



Combo 1: DTaP/DT or IPV/MMR/Hep B/Hib **Vaccinations**



See page 9 for an explanation of the childhood immunization measures.

Performance Measures Commercial HMOs

Data Collection Statistical HMO Method Rate Rating

Breast Cancer Screening

% of women aged 50 to 69 who had a mammogram within the past two years

| National Average:7 | 74.9% State Average | age: 63.7% | |
|--------------------|---------------------|------------|-----|
| United | Admin+Chart Review | 59.8% | * |
| Regence HW | Administrative | 60.1% | * |
| IHC Health Plans | Admin+Chart Review | 70.3% | *** |
| Cigna | Administrative | 62.1% | ** |
| Altius | Admin+Chart Review | 66.2% | *** |

Cervical Cancer Screening

% of women aged 18 to 64 who had one or more Pap tests within the past three years Altius Admin+Chart Review 75.8% Cigna Administrative 65.5% **IHC Health Plans** Admin+Chart Review 82.7% Regence HW Administrative 69.1% United Admin+Chart Review 81.8% *** National Average: 80.5% State Average: 75.0%

Chlamydia Screening in Women

% of sexually active women aged 16 to 25 who had at least one test for chlamydia in 2003

| National Average: 25.4% State Average: 12.3% | | | | |
|--|----------------|-------|-----|--|
| United | Administrative | 14.4% | *** | |
| Regence HW | Not Reported | | | |
| IHC Health Plans | Administrative | 14.1% | *** | |
| Cigna | Administrative | 6.1% | * | |
| Altius | Administrative | 14.5% | *** | |

Adults' Access to Preventive Care: 20 to 44 Years

% of adults who had at least one ambulatory or preventive care visit within the past three years

| United | Administrative | 91.9% | *** |
|-----------------------------|-------------------------------|----------------|-----|
| IHC Health Plans Regence HW | Administrative Administrative | 92.2% 85.5% | *** |
| Cigna | Administrative | 89.3% | * |
| Altius | Administrative | 92.9% | *** |

Adults' Access to Preventive Care: 45 to 64 Years

% of adults who had at least one ambulatory or preventive care visit within the past three years


| National Average: 94. | 2% State Ave | erage: 94.1% | |
|-----------------------|----------------|--------------|-----|
| United | Administrative | 94.5% | *** |
| Regence HW | Administrative | 91.1% | * |
| IHC Health Plans | Administrative | 95.2% | *** |
| Cigna | Administrative | 93.6% | * |
| Altius | Administrative | 95.9% | *** |

Colorectal Cancer Screening


% of adults aged 50-80 who have ever had an appropriate screening test for colorectal cancer.

| Not Review | | *** |
|----------------------|----------------|----------------------|
| dillill+Chart Review | 47.0% | * * * * |
| dmin+Chart Review | 47.0% | *** |
| Administrative | 36.7% | * |
| dmin+Chart Review | 43.4% | *** |
| | Administrative | Administrative 36.7% |


Breast Cancer Screening



Cervical Cancer Screening



Colorectal Cancer Screening



REMEMBER: Differences between HMOs may be caused by differences in performance OR by differences in data collection.

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.

Use of Medication

| | Data Collection | | Statistical |
|-----|-----------------|------|-------------|
| НМО | Method | Rate | Rating |

Controlling High Blood Pressure

% of adults 46-85 years who were diagnosed with hypertension and whose blood pressure was conrolled (less than or equal to 140/90)

| Altius | Admin+Chart | Review | 65.3% | *** |
|----------------------|-------------|---------|---------------|-----|
| Cigna | | Not F | Reported | |
| IHC Health Plans | Admin+Chart | Review | 66.2% | *** |
| Regence HW | | Not F | Reported | |
| United | Admin+Chart | Review | 31.6% | * |
| National Average: 58 | 3.4% | State A | verage: 54.4% | |

Appropriate Medication for People with Asthma (10-17 years old)

% of children 10-17 years who were identified as having persistent asthma and who were appropriately prescribed medication

| United | Administrative | 75.0% | ** |
|------------------|------------------------|-------|----|
| Regence HW | Not Reported | | |
| IHC Health Plans | Administrative | 74.9% | ** |
| Cigna | Not Applicable | | |
| Altius | Administrative 68.1% ★ | | |

Appropriate Medication for People with Asthma (Combined rate)

% of members 5-56 years who were identified as having persistent asthma and who were appropriately prescribed medication

| Altius | Administrative | 74.5% | ** |
|-------------------------|----------------------|-------|-----|
| Cigna | Administrative | 75.0% | ** |
| IHC Health Plans | Administrative | 77.9% | *** |
| Regence HW | Not Reported | | |
| United | Administrative | 73.6% | * |
| National Average: 67.9% | State Average: 75.2% | | |

Antidepressant Medication Management

Optimal Practitioner Contacts for Medication Management

% of adults who were diagnosed with a new episode of depression, treated with antidepressant medication and had at least three follow-up contacts with a practitioner during the 12-week acute treatment phase

| United | Not Rep Administrative | orted 12.6% | *** |
|------------------|---------------------------|----------------|-----|
| | Not Rep | orted | |
| Regence HW | Not Reported | | |
| IHC Health Plans | Administrative | 11.2% | ** |
| Cigna | Not Applicable | | |
| Altius | Administrative | 10.2% | * |

Effective Acute Phase Treatment

% of adults who were diagnosed with a new episode of depression, treated with antidepressant medication and remained on an antidepressant drug during the entire 12week Acute Treatment Phase


| Altius | Administrative | 57.7% | * |
|----------------------|----------------|-------------|-----|
| Cigna | Not App | olicable | |
| IHC Health Plans | Administrative | 62.8% | *** |
| Regence HW | Not Reported | | |
| United | Administrative | 55.8% | * |
| National Average: 59 | .8% State Ave | rage: 58.8% | |

Effective Continuation Phase Treatment


% of adults who were diagnosed with a new episode of depression, treated with antidepressant medication and remained on an antidepressant drug for at least 6 months

| Altius | Administrative | 40.6% | * |
|--|----------------|-------|-----|
| Cigna | Not Applicable | | |
| IHC Health Plans | Administrative | 46.9% | *** |
| Regence HW | Not Reported | | |
| United | Administrative | 40.2% | * |
| National Average: 42.8% State Average: 42.6% | | | |


Appropriate Medication for People with Asthma (combined rate)



Optimal Practitoner Contacts



Acute Phase Treatment



Performance Measures Commercial HMOs

Data Collection Statistical HMO Method Rate Rating

Hemoglobin A1c Testing (test of blood sugar level)

% who had one or more HbA1c tests in 2003

| Altius | Admin+Chart Review | 84.0% | ** |
|---------------------|--------------------|-----------|-----|
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 91.0% | *** |
| Regence HW | Admin+Chart Review | 78.0% | * |
| United | Admin+Chart Review | 76.6% | * |
| National Average: 8 | 82.6% State Avera | ne: 82 4% | |

HbA1c Poorly Controlled (Lower rate is better)

% who had HbA1c level >9.5% at their most recent test within the past year

| Altius | Admin+Chart Review | 32.4% | *** |
|-------------------|--------------------|------------|-----|
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 18.5% | *** |
| Regence HW | Admin+Chart Review | 39.5% | * |
| United | Admin+Chart Review | 49.6% | * |
| National Average: | 33.9% State Avera | age: 35.0% | |

Eye Exam

% who had a retinal exam by an eye care professional within the past year

| Altius | Admin+Chart Review | 45.5% | *** |
|--|--------------------|-------|-----|
| Cigna | Administrative ** | | |
| IHC Health Plans | Admin+Chart Review | 56.0% | *** |
| Regence HW | Admin+Chart Review | 37.3% | * |
| United | Admin+Chart Review | 31.4% | * |
| National Average: 51.7% State Average: 42.5% | | | |

LDL-C Screening (cholesterol)

% who had an LDL-C screening test performed within the past two years

| | J 1 | | |
|--|--------------------|-------|-----|
| Altius | Admin+Chart Review | 87.6% | ** |
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 91.2% | *** |
| Regence HW | Admin+Chart Review | 80.2% | * |
| United | Admin+Chart Review | 85.2% | ** |
| National Average: 85.1% State Average: 86.0% | | | |

LDL-C Control (less than 100mg/dL)

% who had LDL level less than 100 mg/dL

| Altius | Admin+Chart Review | 38.5% | *** |
|----------------------|----------------------|-------|-----|
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 43.8% | *** |
| Regence HW | Admin+Chart Review | 31.6% | * |
| United | Admin+Chart Review | 29.4% | * |
| National Average: NA | State Average: 35.8% | | |

LDL-C Control (less than 130mg/dL)

% who had LDL level less than 130 mg/dL


| Altius | Admin+Chart Review | 61.5% | ** |
|--|--------------------|-------|-----|
| Cigna | Not Rep | orted | |
| IHC Health Plans | Admin+Chart Review | 65.9% | *** |
| Regence HW | Admin+Chart Review | 57.1% | * |
| United | Admin+Chart Review | 56.7% | * |
| National Average: 54.8% State Average: 60.3% | | | |

Monitoring for Diabetic Nephropathy


% who had kidney disease (nephropathy) monitored

| Altius | Admin+Chart Review | 46.0% | ** |
|-------------------|--------------------|-----------|-----|
| Cigna | Administrative ** | | |
| IHC Health Plans | Admin+Chart Review | 51.8% | *** |
| Regence HW | Admin+Chart Review | 40.7% | * |
| United | Admin+Chart Review | 44.5% | ** |
| National Average: | 51.8% State Avera | ge: 45.8% | |


Hemoglobin A1c Testing



Eye Exam



Monitoring for Diabetic Nephropathy



Measures on page 18 were collected for people in each HMO between the ages of 18 and 75 and who have diabetes. Rates were calculated by dividing the number of people who received the test by the total number of people with diabetes.

^{**} Cigna Healthcare used administrative data to collect these measures. Eye Exam = 18%; Monitoring for Diabetic Nephropathy = 22%; these values are not included in the state average.

Consumer Satisfaction Measures

This section contains measures from the **Consumer Assessment of Health Plans Survey (CAHPS)**. CAHPS was developed by the U.S. Department of Health and Human Services, Agency for Healthcare Research and Quality (AHRQ) and is used annually by plans across the country. This year, as in 2002, the survey was given to parents and guardians of children aged 0 up to age 18. This is an expansion of the sample, as children's surveys in previous years only included children up to age 13. The survey measured what parents thought about the health care and services their child received from their health plan in the past year. Issues covered by the questionnaire include whether the child had a problem getting care when he or she needed it, how well their customer service needs were met, as well as how often they received care in a doctor's office or emergency room.

A new addition to the report this year is the Children's Health Insurance Program (CHIP). Two CHIP HMOs participated in the CAHPS project and their results are presented in this section. This additional information broadens the focus of the HMO report. Also included in this year's report is a survey of children with chronic conditions (CCC). This survey was done for the first time in 2002, and was repeated in 2004 to examine trends in the data over the two year period. Because the CCC population is relatively small, three state-wide samples were pulled: commercial, Medicaid and CHIP. Results for the general child population are presented separately for each HMO.

The survey project was managed by an NCQA-certified vendor, DataStat Inc,. who was selected from several who submitted proposals. The mail portion of the survey began in Feburary and follow-up telephone surveys were conducted in May. A total of 1,945 parents of children in commercial HMOs and 2,758 parents of children in Medicaid HMOs answered the survey. Another 1,847 parents of children enrolled in the CHIP program also participated. Finally, parents of 2,562 children with chronic conditions responded to the statewide survey.

Statistical Ratings

Stars compare each health plan's rating or composite score to **the Utah average**. Separate averages were calculated for commercial, Medicaid, and CHIP health plans). The 95% confidence interval was used to determine statistically significant differences between a health plan's score and the state average. Three stars indicate that a health plan's performance on a particular measure is significantly above the state average, while one star means that a health plan's performance is significantly below the state average. Two stars indicate that a health plan's performance on a particular measure is not significantly different from the state average. A standardized NCQA data analysis program was used to compute the star ratings.

- *** Higher Health plan score is significantly above the average for Utah
- ** Average Health plan score is neither higher nor lower than the Utah average
- ★ Lower Health plan score is significantly below the average for Utah

Member Satisfaction

Consumer Satisfaction Measures Medicaid Health Plans

HMO Rate Statistical Rating

Rating of Health Plan

% of people who rated their HMO as 8, 9, or 10

| Fee-for-Service | 79.5% | ** |
|-------------------------|----------------|-------|
| Healthy U | 79.4% | ** |
| IHC PPN | 78.3% | ** |
| Molina | 79.7% | ** |
| National Average: 78.2% | State Average: | 79.2% |

Rating of Health Care

% of people who rated their health care as 8, 9, or 10

| National Average: 80.8% | State Average: | 86.2% |
|-------------------------|----------------|-------|
| Molina | 86.3% | ** |
| IHC PPN | 88.9% | ** |
| Healthy U | 86.5% | ** |
| Fee-for-Service | 83.0% | * |

Rating of Personal Physician

% of people who rated their personal doctor or nurse as 8, 9, or 10

| National Average: 82.7% | State Average: | 85.8% |
|-------------------------|----------------|-------|
| Molina | 86.7% | ** |
| IHC PPN | 86.1% | ** |
| Healthy U | 86.9% | ** |
| Fee-for-Service | 83.5% | * |


Rating of Specialist

% of people who rated their specialist as 8, 9, or 10


| National Average: 78 | . =.0 / 0 | ★ age: 75.8% |
|----------------------|-----------|-----------------|
| Molina | 72.3% | |
| IHC PPN | 73.9% | ** |
| Healthy U | 78.9% | ** |
| Fee-for-Service | 78.1% | ** |

See page 27 for information about the people who answered the survey


Rating of Health Plan



Rating of Health Care



Rating of Personal Physician



All ratings were done on a scale of 0 to 10, with 10 being the highest rating and 0 being the lowest rating.

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.

REMEMBER: Differences between HMOs may be caused by differences in performance OR by differences in data collection.

Quality of Access and Care

Consumer Satisfaction Measures Medicaid Health Plans

Statistical **HMO** Rate Rating

Getting Needed Care

% of people who said getting necessary care was 'Not a Problem'

| National Average: 70.0% | State Average: 81.2% | |
|-------------------------|----------------------|----|
| Molina | 78.9% | ** |
| IHC PPN | 83.8% | ** |
| Healthy U | 80.1% | ** |
| Fee-for-Service | 82.0% | ** |

Customer Service

% of people who said getting customer service was 'Not a Problem'

| ı | National Average: 74.0% | State Average | 65.4% |
|---|-------------------------|---------------|-------|
| | Molina | 74.3% | *** |
| | IHC PPN | 59.4% | ** |
| | Healthy U | 65.4% | ** |
| | Fee-for-Service | 62.6% | ** |

Note: Customer service for IHC PPN is handled by the Utah Medicaid program

Getting Care Quickly

% of people who said they 'Always' or 'Usually' got timely care

| Fee-for-Service | 81.4% | ** |
|----------------------|---------------|--------------|
| Healthy U | 77.2% | * |
| IHC PPN | 83.8% | *** |
| Molina | 82.1% | ** |
| National Average: 76 | 6.0% State Av | erage: 81.1% |

How Well Doctors Communicate

% of people who said they 'Always' or 'Usually' had good communication with their provider


| Fee-for-Service | 92.1% | ** |
|-------------------------|---------------|---------|
| Healthy U | 91.7% | ** |
| IHC PPN | 94.5% | ** |
| Molina | 93.5% | ** |
| National Average: 88.0% | State Average | : 92.9% |

Courteous/Helpful Office Staff


% of people who said medical office staff was 'Always' or 'Usually' helpful and courteous

| Fee-for-Service | 92.4% | * |
|-------------------------|---------------|---------|
| Healthy U | 91.0% | * |
| IHC PPN | 96.3% | *** |
| Molina | 93.9% | ** |
| National Average: 90.0% | State Average | : 93.4% |


Getting Needed Care



Customer Service



Getting Care Quickly



Each performance measure is a composite representing two to four questions asked in the survey. For individual questions used for each composite, see pages 29 and 30 of this report. Composite scores are adjusted by the age and health status of each health plan's respondents.

Statistical Ratings

Higher

Health plan score is significantly above the average for Utah Medicaid health plans Average Health plan score is neither higher nor lower than the Utah Medicaid health plans average Health plan score is significantly below the average for Utah Medicaid health plans

Member Satisfaction

Consumer Satisfaction Measures Commercial HMOs

HMO Rate Statistical Rating

Rating of Health Plan

% of people who rated their HMO as 8, 9, or 10

| Altius | 62.7% | *** |
|-----------------------|---------------|-------------|
| Cigna | 47.5% | * |
| IHC | 59.3% | *** |
| Regence HW | 59.8% | *** |
| United | 51.6% | * |
| National Average: 73. | .1% State Ave | rage: 56.2% |

Rating of Health Care

% of people who rated their health care as 8, 9, or 10

| Cigna 77.2% ★★ IHC 86.5% ★★ Regence HW 86.7% ★★ United 86.7% ★★ | National Average: | 85.7% State Avera | ige: 83.7% |
|---|-------------------|-------------------|------------|
| IHC 86.5% ★★ | United | 86.7% | ** |
| | Regence HW | 86.7% | ** |
| Cigna 77.2% ★★ | IHC | 86.5% | ** |
| | Cigna | 77.2% | ** |
| Altius 81.5% ★★ | Altius | 81.5% | ** |

Rating of Personal Physician

% of people who rated their personal doctor or nurse as 8, 9, or 10

| National Average: 85.4% | State Average | 81.7% |
|-------------------------------|---------------|-------|
| United | 84.8% | ** |
| Regence HW | 81.6% | ** |
| IHC | 84.4% | ** |
| Cigna | 75.9% | * |
| Altius | 81.6% | ** |
| , o o i produce a man produce | | -, |


Rating of Specialist

% of people who rated their specialist as 8, 9, or 10


| National Average: 76.7% | State Average | : 73.1% |
|-------------------------------------|---------------------|---------|
| United | 68.9% | ** |
| Regence HW | 75.0% | ** |
| IHC | 76.0% | ** |
| Cigna | 72.2% | ** |
| Altius | 73.4% | ** |
| 70 of people who rated their specie | anot do 0, 0, 01 10 | |

See page 27 for information about the people who answered the survey


Rating of Health Plan



Rating of Health Care



Rating of Personal Physician



All ratings were done on a scale of 0 to 10, with 10 being the highest rating and 0 being the lowest rating.

Note: Approximately 42% of Utah's insured population is covered by one of the plans in this report.

Quality of Access and Care

Consumer Satisfaction Measures Commercial HMOs

HMO Rate Rating

Getting Needed Care

% of people who said getting necessary care was 'Not a Problem'

| National Average: 78.0% | State Averag | e: 80.9% |
|-------------------------|--------------|----------|
| United | 82.6% | ** |
| Regence HW | 82.5% | ** |
| IHC | 83.2% | ** |
| Cigna | 72.7% | * |
| Altius | 83.7% | ** |

Customer Service

% of people who said getting customer service was 'Not a Problem'

| Altius | 74.4% | *** |
|---------------------|-------------------|------------|
| Cigna | 59.9% | * |
| IHC | 73.9% | *** |
| Regence HW | 68.9% | ** |
| United | 56.6% | * |
| National Average: 6 | 69.0% State Avera | ige: 66.7% |

Getting Care Quickly

% of people who said they 'Always' or 'Usually' got timely care

| National Average: 84.09 | % State Ave | erage: 82.3% |
|-------------------------|-------------|--------------|
| United | 86.3% | *** |
| Regence HW | 82.6% | ** |
| IHC | 83.1% | ** |
| Cigna | 77.6% | ** |
| Altius | 81.9% | ** |
| | .,, 5. | |

How Well Doctors Communicate

% of people who said they 'Always' or 'Usually' had good communication with their provider

| Altius | 91.7% | * |
|-------------------------|---------|---------------|
| Cigna | 91.7% | * |
| IHC | 96.1% | *** |
| Regence HW | 94.6% | ** |
| United | 94.0% | ** |
| National Average: 94.0% | State A | verage: 93.6% |

Courteous/Helpful Office Staff

% of people who said medical office staff was 'Always' or 'Usually' helpful and courteous


| National Average: 95.0% | State A | verage: 95.2% |
|-------------------------|---------|---------------|
| United | 95.8% | ** |
| Regence HW | 95.6% | ** |
| IHC | 97.1% | *** |
| Cigna | 93.3% | * |
| Altius | 94.4% | ** |
| neipiui and counteous | | |

Claims Processing


% of people who said they 'Always' or 'Usually' had their claims processed properly

| National Average: NA | State Average: 88.1% | |
|----------------------|----------------------|-----|
| United | 81.9% | * |
| Regence HW | 92.0% | *** |
| IHC | 93.0% | *** |
| Cigna | 82.7% | * |
| Altius | 90.9% | ** |
| processed properly | | |


Getting Needed Care



Customer Service



Claims Processing



Each performance measure is a composite representing two to four questions asked in the survey. For individual questions used for each composite, **see pages 29 and 30** of this report. Composite scores are adjusted by the age and health status of each health plan's respondents.



★★★ Higher HMO score is significantly above the average for Utah commercial HMOs

** Average HMO score is neither higher nor lower than the Utah commercial HMO average

Member Satisfaction

Consumer Satisfaction Measures CHIP Health Plans

HMO Rate

Rating of Health Plan

% of people who rated their HMO as 8, 9, or 10

| National Average: | 84.3% |
|-------------------|-------|
| PEHP | 82.4% |
| Molina | 76.6% |

Rating of Health Care

% of people who rated their health care as 8, 9, or 10

| National Average: | 81.7% |
|-------------------|-------|
| PEHP | 88.3% |
| Molina | 84.9% |

Rating of Personal Physician

% of people who rated their personal doctor or nurse as 8, 9, or 10

| National Average: | 82.4% |
|-------------------|-------|
| PEHP | 86.7% |
| Molina | 83.3% |

Rating of Specialist

% of people who rated their specialist as 8, 9, or 10

| National Average: | 79.0% |
|-------------------|-------|
| PEHP | 79.2% |
| Molina | 84.0% |

All ratings were done on a scale of 0 to 10, with 10 being the highest rating and 0 being the lowest rating.

See page 28 for information about the people who answered the survey

HMO Rate

Getting Needed Care

% of people who said getting necessary care was 'Not a Problem'

| National Average: | 73.0% |
|-------------------|-------|
| PEHP | 85.1% |
| Molina | 79.2% |

Customer Service

% of people who said getting customer service was 'Not a Problem'

| National Average: | 77.0% |
|-------------------|-------|
| PEHP | 76.0% |
| Molina | 71.5% |
| | |

Getting Care Quickly

% of people who said they 'Always' or 'Usually' got timely care

| National Average: | 43.0% |
|-------------------|-------|
| PEHP | 84.6% |
| Molina | 83.4% |

How Well Doctors Communicate

% of people who said they 'Always' or 'Usually' had good communication with their provider

| National Average: | 58.0% |
|-------------------|-------|
| PEHP | 96.0% |
| Molina | 93.6% |

Courteous/Helpful Office Staff

% of people who said medical office staff was 'Always' or 'Usually' helpful and courteous

| Molina | 93.9% |
|-------------------|-------|
| PEHP | 95.6% |
| National Average: | 59.0% |

Member Satisfaction

Consumer Satisfaction Measures *Children with Chronic Conditions*

| НМО | Rate |
|--|-------|
| Rating of Health Plan % of people who rated their HMO as 8, 9, or 10 | |
| Commercial | 80.8% |
| Medicaid | 88.5% |
| CHIP | 90.2% |

Rating of Health Care

% of people who rated their health care as 8, 9, or 10

| Commercial | 93.4% |
|------------|-------|
| Medicaid | 92.6% |
| CHIP | 92.9% |

Rating of Personal Physician

% of people who rated their personal doctor or nurse as 8, 9, or 10

| Commercial | 93.2% |
|------------|-------|
| Medicaid | 93.5% |
| CHIP | 97.9% |

Rating of Specialist

% of people who rated their specialist as 8, 9, or 10

| Commercial | 86.1% |
|------------|-------|
| Medicaid | 91.6% |
| CHIP | 83.8% |

See page 28 for information about the

people who answered the survey

All ratings were done on a scale of 0 to 10, with 10 being the highest rating and 0 being the lowest rating.

Access to Prescription Medication

HMO

% of people who said that getting their child's prescription medications was 'Not a Problem'

| Commercial | 84.4% |
|------------|-------|
| Medicaid | 63.8% |
| CHIP | 89.8% |

Rate

Access to Specialized Services

% of people who said getting specialized services was 'Not a Problem'

| Commercial | 61.3% |
|------------|-------|
| Medicaid | 62.5% |
| CHIP | 73.5% |

Coordination of Care

% of people who said 'Yes' to questions asking if their providers coordinated care for their child

| Commercial | 73.0% |
|------------|-------|
| Medicaid | 75.5% |
| CHIP | 67.8% |

NOTE: National Averages are not available for the Children with Chonic Conditions population

Quality of Access and Care

Consumer Satisfaction Measures *Children with Chronic Conditions*

HMO Rate

Getting Needed Care

% of people who said getting necessary care was 'Not a Problem'

| Commercial | 80.2% |
|------------|-------|
| Medicaid | 57.5% |
| CHIP | 59.0% |

Customer Service

% of people who said getting customer service was 'Not a Problem'

| Commercial | 70.9% |
|------------|-------|
| Medicaid | 38.4% |
| CHIP | 48.3% |

Getting Care Quickly

% of people who said they 'Always' or 'Usually' got timely care

| Commercial | 80.9% |
|------------|-------|
| Medicaid | 82.2% |
| CHIP | 82.8% |

How Well Doctors Communicate

% of people who said they 'Always' or 'Usually' had good communication with their provider

| Commercial | 94.5% |
|------------|-------|
| Medicaid | 93.2% |
| CHIP | 94.6% |

Courteous/Helpful Office Staff

% of people who said medical office staff was 'Always' or 'Usually' helpful and courteous

| Commercial | 94.1% |
|------------|-------|
| Medicaid | 93.9% |
| CHIP | 94.3% |

Family Centered-Care

| НМО | Rate |
|-----|------|
| | |

Shared Decision Making

% of people who said they were 'Always" or 'Usually' involved in decision-making for their child

| are an entire in the same | |
|---------------------------|-------|
| Commercial | 84.5% |
| Medicaid | 85.7% |
| CHIP | 86.2% |

Getting Needed Information

% of people who said they 'Always" or 'Usually' received needed information from their provider

| Commercial | 91.8% |
|------------|-------|
| Medicaid | 89.6% |
| CHIP | 91.4% |

Provider Who Knows Child

% of people who said 'Yes' to questions asking if their provider knew about their child

| about their office | |
|--------------------|-------|
| Commercial | 85.1% |
| Medicaid | 88.5% |
| CHIP | 82.2% |

NOTE: National Averages are not available for the Children with Chonic Conditions population

About the People Surveyed

Commercial HMO Enrollees

| | | Altius | Cigna | IHC | Regence HealthWise | United | UT Commercial HMO Average |
|--------------------------------------|---|--|--|---|---|-----------------------------------|---|
| Child's Overall Health Status | Excellent/Very Good Good Fair/Poor | 86% 11% 3% | 84% 12% 5% | 88% 11% 1% | 90% 8% 2% | 88% 11% 1% | 87% 10% 2% |
| Child's Age | Less than 2 3 to 7 8 to 13 14 to 18 | 9% 27% 37% 27% | 18% 30% 29% 23% | 14% 29% 34% 23% | 13% 32% 31% 24% | 15% 35% 30% 21% | 13% 31% 33% 24% |
| Child's Gender | Male Female | 51% 49% | 48% 52% | 52% 49% | 52% 48% | 51% 49% | 51% 49% |
| Parents/Guardians Education Level | Less than high school HS diploma or GED Some college 4 year degree or higher | 4% 21% 43% 32% | 5% 31% 42% 22% | 1% 16% 50% 34.2% | 3% 21% 44% 32% | 1% 22% 48% 30% | 2% 21% 46% 31% |
| Child's Race/ Ethnicity* | White Hispanic Black or African-American Asian Native Hawaiian or Pacific IsIndr Amer Indian or Alaska Native Other | 89% 11% 1% 3% 1% 1% 7% | 83% 15% 1% 5% 2% 1% 7% | 95% 6% 1% 2% 0% 1% 4% | 92% 7% 0% 4% 1% 2% 5% | 94% 5% 1% 1% 1% 1% | 91% 8% 1% 3% 1% 1% 5% |
| Response Rate | | 53% | 44% | 54% | 49% | 44% | 49% |
| Total Respondents | | 457 | 219 | 472 | 426 | 371 | 1945 |

Medicaid Health Plan Enrollees

| | | FFS | Healthy U | IHC PPN | Molina | UT Medicaid HMO Average |
|---------------------------------------|---|--|---|---|---|---|
| Child's Overall Health Status | Excellent/Very Good Good Fair/Poor | 81% 15% 3% | 75% 18% 6% | 78% 16% 6% | 78% 17% 4% | 79% 17% 5% |
| Child's Age | Less than 2 3 to 7 8 to 13 14 to 17 | 35% 32% 23% 11% | 30% 38% 24% 8% | 29% 38% 25% 8% | 35% 35% 21% 8% | 33% 35% 23% 9% |
| Child's Gender | Male Female | 53% 47% | 53% 47% | 54% 46% | 50% 50% | 52% 48% |
| Parents/Guardians' Education Level | Less than high school HS diploma or GED Some college 4 year degree or higher | 16% 33% 39% 9% | 32% 29% 27% 9% | 19% 28% 42% 9% | 25% 32% 35% 6% | 22% 31% 36% 8% |
| Child's Race/ Ethnicity* | White Hispanic Black or African-American Asian Native Hawaiian or Pacific Islndr Amer Indian or Alaska Native Other | 80% 17% 1% 1% 1% 10% 12% | 57% 46% 6% 1% 2% 4% 31% | 79% 25% 3% 1% 2% 4% 16% | 76% 29% 4% 1% 2% 3% 17% | 73% 28% 3% 1% 2% 6% 18% |
| Response Rate | | 61% | 41% | 51% | 46% | 47% |
| Total Respondents | | 960 | 641 | 442 | 715 | 2758 |

^{*} Percentages do not sum to 100% since respondents were allowed to mark more than one category

About the People Surveyed

CHIP Enrollees

| | | PEHP | Molina | UT CHIP HMO Average |
|---------------------------------------|---|--|---|---|
| Child's Overall Health Status | Excellent/Very Good Good Fair/Poor | 85% 13% 2% | 84% 15% 2% | 84% 14% 2% |
| Child's Age | Less than 2 3 to 7 8 to 13 14 to 18 | 4% 28% 43% 25% | 7% 29% 44% 21% | 6% 28% 43% 23% |
| Child's Gender | Male Female | 53% 47% | 53% 47% | 53% 47% |
| Parents/Guardians' Education Level | Less than high school HS diploma or GED Some college 4 year degree or higher | 10% 28% 47% 12% | 16% 33% 40% 8% | 13% 31% 43% 10% |
| Child's Race/ Ethnicity* | White Hispanic Black or African-American Asian Native Hawaiian or Pacific Islndr Amer Indian or Alaska Native Other | 87% 13% 1% 1% 1% 3% 9% | 76% 27% 2% 2% 2% 1% 19% | 82% 19% 2% 1% 1% 2% 14% |
| Response Rate | | 62% | 59% | 61% |
| Total Respondents | | 938 | 909 | 1847 |

Children with Chronic Conditions Enrollees

| | | CHIP | Commercial | Medicaid | UT CCC HMO Average |
|--------------------|-----------------------------------|------|------------|----------|-----------------------|
| Child's Overall | Excellent/Very Good | 67% | 76% | 56% | 67% |
| Health Status | Good | 28% | 19% | 28% | 24% |
| | Fair/Poor | 5% | 5% | 16% | 9% |
| Child's Age | Less than 2 | 4% | 13% | 34% | 21% |
| • | 3 to 7 | 20% | 22% | 28% | 24% |
| | 8 to 13 | 41% | 33% | 25% | 30% |
| | 14 to 18 | 34% | 32% | 13% | 25% |
| Child's Gender | Male | 59% | 55% | 59% | 57% |
| | Female | 41% | 45% | 41% | 43% |
| Parents/Guardians' | Less than high school | 10% | 2% | 16% | 8% |
| Education Level | HS diploma or GED | 28% | 18% | 31% | 24% |
| | Some college | 48% | 46% | 39% | 44% |
| | 4 year degree or higher | 10% | 22% | 10% | 16% |
| Child's Race/ | White | 79% | 93% | 81% | 87% |
| Ethnicity* | Hispanic | 15% | 6% | 21% | 13% |
| , | Black or African-American | 2% | 1% | 4% | 2% |
| | Asian | 3% | 1% | 1% | 1% |
| | Native Hawaiian or Pacific Islndr | 0% | 1% | 1% | 1% |
| | Amer Indian or Alaska Native | 4% | 1% | 4% | 2% |
| | Other | 13% | 5% | 14% | 9% |
| Response Rate | | 62% | 55% | 48% | 51% |
| Total Respondents | | 226 | 1312 | 1024 | 2562 |

^{*} Percentages do not sum to 100% since respondents were allowed to mark more than one category

Survey Questions Used for Composites

Survey Questions Used for Composites

Each CAHPS performance measure (composite) is made up of two to four questions related to the topic. The individual questions used to calculate each composite are listed here.

Getting Care Quickly

"How often ... " (Always, Usually, Sometimes, Never):

- 🖎 did you get the help or advice you needed, when you called during regular office hours?
- did you get an appointment for health care as soon as you wanted?
- did you get care as soon as you wanted when you needed care right away for an illness, injury or condition?
- were you taken to the exam room within 15 minutes of your appointment?

How Well Doctor's Communicate

"How often did doctors or other health providers..." (Always, Usually, Sometimes, Never):

- listen carefully to you?
- makes explain things in a way you could understand?
- > show respect for what you had to say?
- spend enough time with you?

Courtesy/Helpful Office Staff

"How often..." (Always, Usually, Sometimes, Never):

- makes did office staff at a doctor's office or clinic treat you with courtesy and respect?
- were office staff at a doctor's office or clinic as helpful as you thought they should be?

Claims Processing*

"How often did your health plan..." (Always, Usually, Sometimes, Never):

- nandle your claims in a reasonable time?
- nandle your claims correctly?

Getting Needed Care

"How much of a problem, if any,..." (A Big Problem, A Small Problem, Not a Problem):

- was it to get a personal doctor or nurse you are happy with?
- was it to see a specialist that you needed to see?
- was it to get the care, tests or treatment you or a doctor believed necessary?
- were delays in health care while you waited for approval from your health plan?

Customer Service

"How much of a problem, if any,..." (A Big Problem, A Small Problem, Not a Problem):

- x was it to find or understand information in the written materials about your health plan?
- x was it to get the help you needed when you called your health plan's customer service?
- did you have with paperwork for your health plan?*
- * Commercial HMO members only

Survey Questions Used for Composites

Questions for Children with Chronic Conditions

Access to Prescription Medications

- > How much of a problem, if any, was it to get your child's prescription medication?
- Did anyone from your child's health plan, doctor's office or clinic help you with this problem?

Access to Specialized Services

"How much of a problem, if any, was it to get.... (A Big Problem, A Small Problem, Not a Problem):

- special medical equipment [e.g., wheelchair, nebulizer]
- special therapy [e.g., physical or speech]
- treatment or counseling [i.e., for a behavioral or emotional problem]

Family Centered Care: Personal Doctor/Nurse Who Knows Child

(yes or no)

Did your child's doctor talk to you about how your child is feeling, growing, or behaving?

"Does your child's personal doctor or nurse understand how these medical, behavioral or other health conditions affect"

- your child's day-to-day life?
- your family's day-to-day life?

Family Centered Care: Shared Decision Making

"When decisions about your child's health care were made, how often did doctor's or other health providers...." (Always, Usually, Sometimes, Never):

- makes offer you choices about your child's health care?
- discuss with you the good and bad things about each of the different choices about your child's health care?
- ask you to tell them what choices you prefer?
- > involve you as much as you wanted?

Family Centered Care: Getting Needed Information

"How often... "(Always, Usually, Sometimes, Always):

- did your child's doctors or other health providers make it easy for you to discuss your questions or concerns?
- 🖎 did you get the specific information you needed from your child's doctors or other health providers?
- did you have your questions answered by your child's doctors or other health providers?

Coordination of Care

(yes or no)

- Did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?
- Did anyone from your child's health plan, doctor's office or clinic help coordinate your child's care among different providers or services?

Acknowledgements

Utah Department of Health

Internet: http://health.utah.gov

Executive Director's Office

Scott D. Williams Executive Director
A. Richard Melton Deputy Director
Allen Korhonan Deputy Director

Barry E. Nangle Director, Center for Health Data

Division of Health Care Financing

Michael Deily Division Director

Michael Hales Assistant Division Director

Julie Olson Bureau Director

Barbara Christensen Health Program Manager
Heidi Weaver PCN Program Manager
Wanda Gutierrez Quality Improvement Specialist

Darlene Benson Quality Assurance Specialist

Division of Community and Family Health Services

George Delavan Division Director
Ladene Larsen Bureau Director
Nan Streeter Bureau Director

Richard Bullough Manager, Arthritis Program

Office of Health Care Statistics

Wu Xu Director

Lori Brady IT Programmer/Analyst I

Keely Cofrin* HMO Health Program Manager
Paul Hougland Physician Program Manager
Mike Martin Research Consultant I
Carol Masheter Information Analyst II

John Morgan Information Analyst Supervisor Steven Pickard IT Programmer/Analyst II

Janet Scarlet Executive Secretary

Utah Health Data Committee (UHDC)

Internet: http://health.utah.gov/hda

Clark B. Hinckley Large Business Representative

(Chair)

Robert P. Huefner Public Health Representative

(Vice- Chair) Kim Bateman Ronald E. Casper Leslie Frances

Leslie Frances Public Health Representative
Terry Haven Consumer Advocacy Representative

Physicians Representative

Small Business Representative

Annette Herman HMO Representative

Scott Ideson Third Party Payer Representative

Gail McGuill Nursing Representative

Sandra L. Peck
Greg Poulsen
Marilyn Tang

Consumer Advocacy Representative
Hospital Representative
Business Representative

Mark E. Towner Public Interest Representative

Special thanks to Altius Health Plans, CIGNA Healthcare of Utah, Healthy U, IHC Health Plans, Molina Healthcare of Utah, Public Employees Health Program, Regence HealthWise, United Healthcare, and the Utah Medicaid program for their support and participation in this project; thanks to DataStat Inc. for conducting the consumer satisfaction surveys and assisting with data analysis; thanks also to the Utah Insurance Department for their support of the printing and distribution of this publication.

The source for national data contained in this publication is Quality Compass® and is used with the permission of the National Committee for Quality Assurance (NCQA). Any analysis, interpretation, or conclusion based on these data is solely that of the authors, and NCQA specifically disclaims responsibility for any such analysis, interpretation, or conclusion. Quality Compass® is a registered trademark of NCQA.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).

Other benchmarks in this report come from NCQA's published report "The State of Health Care Quality 2004".

For more information about this and other health care reports, contact the Office of Health Care Statistics at (801) 538-7048.

For more copies of this report, visit our website:

http://health.utah.gov/hda/consumer_publications/HmoPerformance2004.pdf

^{*} This report was developed and written by Keely Cofrin, formatted by Lori Brady and was reviewed by participating Health Plans, members of the Utah Health Data Committee, Office of Health Care Statistics staff, the Utah Department of Health's Executive Director's Office and many other individuals in the Utah Department of Health.

For more copies of this report, visit our website: http://health.utah.gov/hda/consumer_publications/HmoPerformance2004.pdf